

STAPLES STATE BANK

MEMBER FEDERAL DEPOSIT INSURANCE CORPORATION
STAPLES, MINNESOTA 55476

TELEPHONE 218-894-1522

MOTLEY OFFICE - MOTLEY, MINNESOTA 55466

TELEPHONE 218-352-6284



DONALD S. EDDY, PRESIDENT
JAMES D. RANDGAARD, VICE PRESIDENT
EDWIN L. BOUNDS, VICE PRESIDENT
STEPHEN A. PICKAR, CASHIER
JOYCE E. INGEBRITSON, ASST. CASHIER
LA DONNA PETERSON, ASST. CASHIER
MAVIS GALLIGHER, ASST. CASHIER
MOTLEY OFFICE

December 22, 1981

Clean Flo. Laboratories, Inc.
4342 Shady Oak Road
Hopkins, Minnesota 55343

Gentlemen:

In 1980 we decided to put in a small pond in our back yard. Before it was done, it ended up 175' x 175' and about 9½' deep. We hit a free flowing spring, so we had to install an overflow pipe to drain off the excess water. We let this pond set for the summer of 1980 and in the spring of 1981 we put in two batches of Rainbow trout. The first batch we put in came from Menahaga. There was 100 fish that measured from 4" to 6". We then put in the second batch which came from North Dakota and there was 150 of these at about 9½" average.

We installed a 1/3 hp. difuser in the pond because we started losing some fish from the heat. We did not lose any fish after the defuser was operational.

In November we took some fish out for a party. Six of them were over 15" long and their weight was very close to two pounds each.

I would have to recommend to anybody who is thinking about putting in trout, or any other type of fish, that they use an aeration system.

Very truly your's,



John Sinotte

JS/mlh